

Advancing Early Psychosis Care in the United States

Addressing Inequities - Race, Culture, and COVID

Racial and Cultural Mental Health Disparities, Early Psychosis, and the Effects of COVID-19 on Mental Health

Session Bibliography

1. Perkins, D.O., Gu, H., Boteva, K., & Lieberman, J.A. (2005). Relationship between duration of untreated psychosis and outcome in first-episode schizophrenia: a critical review and meta-analysis. *American Journal of Psychiatry*, 162(10), 1785-1804.
2. Marshall, M., Lewis, S., Lockwood, A., Drake, R., Jones, P., & Croudace, T. (2005). Association between duration of untreated psychosis and outcome in cohorts of first-episode patients: a systematic review. *Archives of general psychiatry*, 62(9), 975-983.
3. Ramsay, C.E., Goulding, S.M., Broussard, B., Cristofaro, S.L., Abedi, G.R., & Compton, M.T. (2011). Prevalence and psychosocial correlates of prior incarcerations in an urban, predominantly African-American sample of hospitalized patients with first-episode psychosis. *The journal of the American Academy of Psychiatry and the Law*, 39(1), 57-64.
4. Compton, M. T., Broussard, B., Munetz, M., Oliva, J. R., & Watson, A. C. (2012). *Crisis intervention team (CIT) model of collaboration between law enforcement & mental health*. Hauppauge, NY: Nova Science.
5. Compton, M.T., Ramsay, C.E., Shim, R.S., Goulding, S.M., Gordon, T.L., Weiss, P.S., & Druss, B.G. (2009). Health services determinants of the duration of untreated psychosis among African-American first-episode patients. *Psychiatric services (Washington, D.C.)*, 60(11), 1489-1494.
6. Yanos, P.T., Lu, W., Minsky, S., & Kiely, G.L. (2004). Correlates of health insurance among persons with schizophrenia in a statewide behavioral health care system. *Psychiatric Services*, 55(1), 79-82.
7. Browne, J., Bass, E., Mueser, K.T., Meyer-Kalos, P., Gottlieb, J.D., Estroff, S.E., & Penn, D.L. (2019). Client predictors of the therapeutic alliance in individual resiliency training for first episode psychosis. *Schizophrenia Research*, 204, 375-80.
8. Cabassa, L.J., Piscitelli, S., Haselden, M., Lee, R.J., Essock, S.M., & Dixon, L.B. (2018). Understanding pathways to care of individuals entering a specialized early intervention service for first-episode psychosis. *Psychiatric Services*, 69(6), 648-656.

Advancing Early Psychosis Care in the United States

Addressing Inequities - Race, Culture, and COVID

9. Coleman, K.J., Stewart, C., Waitzfelder, B.E., Zeber, J.E., Morales, L.S., Ahmed, A.T., ... & Simon, G.E. (2016). Racial-ethnic differences in psychiatric diagnoses and treatment across 11 health care systems in the mental health research network. *Psychiatric services (Washington, D.C.)*, 67(7), 749-757.
10. Dodds, T.J., Phutane, V.H., Stevens, B.J., Woods, S.W., Sernyak, M.J., & Srihari, V.H. (2011). Who is paying the price? Loss of health insurance coverage early in psychosis. *Psychiatric Services*, 62(8), 878-881.
11. Gullapalli, V. (2019, October 2). 'Medical Bonds' save money for jails. Their use shows how often we jail people who need care. The Appeal. <https://theappeal.org/medical-bonds-save-money-for-jails-their-use-shows-how-often-we-jail-people-who-need-care/>
12. Holzer-Glier, L. (2016, May 26). Inside the massive jail that doubles as Chicago's largest mental health facility. Vera. <https://www.vera.org/the-human-toll-of-jail/inside-the-massive-jail-that-doubles-as-chicagos-largest-mental-health-facility>
13. Jonas, K.G., Fochtmann, L.J., Perlman, G., Tian, Y., Kane, J.M., Bromet, E.J., & Kotov, R. (2020). Lead-time bias confounds association between duration of untreated psychosis and illness course in schizophrenia. *American Journal of Psychiatry*, 177(4), 327-334.
14. Davis, C. & Pope, L. (2016, July 19). Shining a spotlight on mental health and police shootings. Vera. <https://www.vera.org/blog/shining-a-spotlight-on-mental-health-and-police-shootings>
15. Knowles, E.E.M., Mathias, S.R., Pearlson, G.D., Barrett, J., Mollon, J., Denbow, D., ... & Glahn, D.C. (2019). Clinical correlates of subsyndromal depression in African American individuals with psychosis: The relationship with positive symptoms and comorbid substance dependence. *Schizophrenia research*, 206, 333-346.
16. Myers, N., Sood, A., Fox, K.E., Wright, G., & Compton, M.T. (2019). Decision making about pathways through care for racially and ethnically diverse young adults with early psychosis. *Psychiatric Services*, 70(3), 184-190.
17. Oduola, S., Craig, T.K.J., Das-Munshi, J., Bourque, F., Gayer-Anderson, C., & Morgan, C. (2019). Compulsory admission at first presentation to services for psychosis: does ethnicity still matter? Findings from two population-based studies of first episode psychosis. *Social psychiatry and psychiatric epidemiology*, 54(7), 871-881.
18. Oluwoye, O., Stiles, B., Monroe-DeVita, M., Chwastiak, L., McClellan, J.M., Dyck, D., ... & McDonnell, M.G. (2018). Racial-ethnic disparities in first-episode psychosis treatment outcomes from the RAISE-ETP study. *Psychiatric Services*, 69(11), 1138-1145.

Advancing Early Psychosis Care in the United States

Addressing Inequities - Race, Culture, and COVID

19. Tohen, M., Khalsa, H.M., Salvatore, P., Zarate, C.A., Strakowski, S.M., Sanchez-Toledo, J.P., & Baldessarini, R.J. (2016). The McLean-Harvard First-Episode Project: Early course in 114 cases of first-episode nonaffective psychoses. *The Journal of clinical psychiatry*, 77(6), 781-788.
20. Vassos, E., Di Forti, M., Coleman, J., Iyegbe, C., Prata, D., Euesden, J., ... & Breen, G. (2017). An examination of polygenic score risk prediction in individuals with first-episode psychosis. *Biological Psychiatry*, 81(6), 470-477.
21. Ramsay Wan, C., Broussard, B., Haggard, P., & Compton, M.T. (2014). Criminal justice settings as possible sites for early detection of psychotic disorders and reducing treatment delay. *Psychiatric Services*, 65(6), 758-764.
22. Cairns, V.A., Reid, G.S., & Murray, C. (2015). Family members' experience of seeking help for first-episode psychosis on behalf of a loved one: a meta-synthesis of qualitative research. *Early intervention in psychiatry*, 9(3), 185-199.
23. Del Vecchio, V., Luciano, M., Sampogna, G., De Rosa, C., Giacco, D., Tarricone, I., ... & Fiorillo, A. (2015). The role of relatives in pathways to care of patients with a first episode of psychosis. *The International journal of social psychiatry*, 61(7), 631-637.
24. Bhui, K., Ullrich, S., & Coid, J.W. (2014). Which pathways to psychiatric care lead to earlier treatment and a shorter duration of first-episode psychosis? *BMC Psychiatry*, 14(1), 72.
25. Jansen, J.E., Wøldike, P.M., Haahr, U.H., & Simonsen, E. (2015). Service user perspectives on the experience of illness and pathway to care in first-episode psychosis: a qualitative study within the TOP project. *The Psychiatric quarterly*, 86(1), 83-94.
26. Tanskanen, S., Morant, N., Hinton, M., Lloyd-Evans, B., Crosby, M., Killaspy, H., ... & Johnson, S. (2011). Service user and carer experiences of seeking help for a first episode of psychosis: a UK qualitative study. *BMC Psychiatry*, 11(1), 157.
27. Boydell, K.M., Stasiulis, E., Volpe, T., & Gladstone, B. (2010). A descriptive review of qualitative studies in first episode psychosis. *Early intervention in psychiatry*, 4(1), 7-24.
28. Skubby, D., Bonfine, N., Tracy, H., Knepp, K., & Munetz, M.R. (2015). The help-seeking experiences of parents of children with a first-episode of psychosis. *Community mental health journal*, 51(8), 888-896.
29. Dixon, L.B., Goldman, H.H., Bennett, M.E., Wang, Y., McNamara, K.A., Mendon, S.J., ... & Essock, S.M. (2015). Implementing coordinated specialty care for early psychosis: The RAISE Connection Program. *Psychiatric services (Washington, D.C.)*, 66(7), 691-698.

Advancing Early Psychosis Care in the United States

Addressing Inequities - Race, Culture, and COVID

30. Moss, B., Gorrell, J., Ward, P.B., Nash, L., Tennant, C., Draganic, D., & Rosen, A. (2004). Pathways to care in early psychosis: an effective tool to map the pathway to effective treatment (Abstract). *Schizophrenia Research*, 70(Suppl), 137.
31. Fischer, E.P., McCarthy, J.F., Ignacio, R.V., Blow, F.C., Barry, K.L., Hudson, T.J., ... & Valenstein, M. (2008). Longitudinal patterns of health system retention among veterans with schizophrenia or bipolar disorder. *Community mental health journal*, 44(5), 321-330.
32. Lucksted, A., Essock, S.M., Stevenson, J., Mendon, S.J., Nossel, I.R., Goldman, H.H., ... & Dixon, L.B. (2015). Client views of engagement in the RAISE Connection Program for early psychosis recovery. *Psychiatric services (Washington, D.C.)*, 66(7), 699-704.
33. O'Brien, A., Fahmy, R., & Singh, S.P. (2009). Disengagement from mental health services: A literature review. *Social psychiatry and psychiatric epidemiology*, 44(7), 558-568.
34. Islam, Z., Rabiee, F., & Singh, S.P. (2015). Black and minority ethnic groups' perception and experience of early intervention in psychosis services in the United Kingdom. *Journal of Cross-Cultural Psychology*, 46(5), 737-753.
35. Bergner, E., Leiner, A.S., Carter, T., Franz, L., Thompson, N.J., & Compton, M.T. (2008). The period of untreated psychosis before treatment initiation: a qualitative study of family members' perspectives. *Comprehensive psychiatry*, 49(6), 530-536.
36. Corcoran, C., Gerson, R., Sills-Shahar, R., Nickou, C., McGlashan, T., Malaspina, D., & Davidson, L. (2007). Trajectory to a first episode of psychosis: a qualitative research study with families. *Early intervention in psychiatry*, 1(4), 308-315.
37. Joa, I., Johannessen, J.O., Auestad, B., Friis, S., McGlashan, T., Melle, I., ... & Larsen, T.K. (2008). The key to reducing duration of untreated first psychosis: information campaigns. *Schizophrenia bulletin*, 34(3), 466-472.