

Third National Conference on
Advancing Early Psychosis Care in the United States
Addressing Inequities - Race, Culture, and COVID

Cultural and Contextual Considerations in the Early Identification of Risk for Psychosis

Session Bibliography

1. Adebimpe, V. R. (1981). Overview: white norms and psychiatric diagnosis of black patients. *The American Journal of Psychiatry*, 138(3), 279-285.
2. Adeponle, A. B., Groleau, D., & Kirmayer, L. J. (2015). Clinician reasoning in the use of cultural formulation to resolve uncertainty in the diagnosis of psychosis. *Culture, Medicine, and Psychiatry*, 39(1), 16-42.
3. Adeponle, A. B., Thombs, B. D., Groleau, D., Jarvis, E., & Kirmayer, L. J. (2012). Using the cultural formulation to resolve uncertainty in diagnoses of psychosis among ethnoculturally diverse patients. *Psychiatric Services*, 63(2), 147-153.
4. Anglin, D. M., Galea, S., & Bachman, P. (2020). Going upstream to advance psychosis prevention and improve public health. *JAMA Psychiatry*, 77(7), 665-666.
5. Barnes, A. (2008). Race and hospital diagnoses of schizophrenia and mood disorders. *Social Work*, 53(1), 77-83.
6. Cloutier, M., Aigbogun, M. S., Guerin, A., Nitulescu, R., Ramanakumar, A. V., Kamat, S. A., DeLucia, M., Duggy, R., Legacy, S. N., Henderson, C., Francois, C., & Wu, E. (2016). The economic burden of schizophrenia in the United States in 2013. *The Journal of Clinical Psychiatry*, 77(6), 764-771.
7. Combs, D. R., Penn, D. L., & Fenigstein, A. (2002). Ethnic differences in subclinical paranoia: An expansion of norms of the Paranoia Scale. *Cultural Diversity and Ethnic Minority Psychology*, 8(3), 248.
8. Devylder, J. E., Mittal, V. A., & Schiffman, J. (2020). Balancing the public health costs of psychosis vs mass incarceration with the legalization of cannabis. *JAMA Psychiatry*. Advance online publication. <https://pubmed.ncbi.nlm.nih.gov/32876662/>
9. Dykxhoorn, J., Lewis, G., Hollander, A. C., Kirkbride, J. B., & Dalman, C. (2020). Association of neighbourhood migrant density and risk of non-affective psychosis: a national, longitudinal cohort study. *The Lancet Psychiatry*, 7, 327–336.
10. Edge, D., & Grey, P. (2018). An assets-based approach to co-producing a culturally adapted family Intervention (CaFI) with African Caribbeans diagnosed with schizophrenia and their families. *Ethnicity & Disease*, 28(Suppl 2), 485.

Third National Conference on
Advancing Early Psychosis Care in the United States
Addressing Inequities - Race, Culture, and COVID

11. Fusar-Poli, P., Bonoldi, I., Yung, A. R., Borgwardt, S., Kempton, M. J., Valmaggia, L., Barale, F., Caverzasi, E., & McGuire, P. (2012). Predicting psychosis: meta-analysis of transition outcomes in individuals at high clinical risk. *Archives of General Psychiatry*, 69(3), 220-229.
12. Gara, M. A., Minsky, S., Silverstein, S. M., Miskimen, T., & Strakowski, S. M. (2019). A naturalistic study of racial disparities in diagnoses at an outpatient behavioral health clinic. *Psychiatric Services*, 70(2), 130-134.
13. Heinssen, R. K., Goldstein, A. B., & Azrin, S. T. (2014). *Evidence-based treatments for first episode psychosis: Components of coordinated specialty care*. National Institute of Mental Health. https://www.nimh.nih.gov/health/topics/schizophrenia/raise/nimh-white-paper-csc-for-fep_147096.pdf
14. Jones, N., Godzikovskaya, J., Zhao, Z., Vasquez, A., Gilbert, A., & Davidson, L. (2019). Intersecting disadvantage: Unpacking poor outcomes within early intervention in psychosis services. *Early Intervention in Psychiatry*, 13(3), 488-494.
15. Kanani, N. (2011). Race and madness: Locating the experiences of racialized people with psychiatric histories in Canada and the United States. *Critical Disability Discourses/Discours critiques dans le champ du handicap*, 3.
16. Kline, E., & Schiffman, J. (2014). Psychosis risk screening: A systematic review. *Schizophrenia Research*, 158(1-3), 11-18.
17. Kline, E., Wilson, C., Ereshefsky, S., Denenny, D., Thompson, E., Pitts, S. C., Bussell, K., Reeves, G., & Schiffman, J. (2012). Psychosis risk screening in youth: a validation study of three self-report measures of attenuated psychosis symptoms. *Schizophrenia research*, 141(1), 72-77.
18. Kline, E., Wilson, C., Ereshefsky, S., Tsuji, T., Schiffman, J., Pitts, S., & Reeves, G. (2012). Convergent and discriminant validity of attenuated psychosis screening tools. *Schizophrenia Research*, 134(1), 49-53.
19. Laursen, T. M., Nordentoft, M., & Mortensen, P. B. (2014). Excess early mortality in schizophrenia. *Annual review of clinical psychology*, 10, 425-448.
20. Lopez, S. R., Kopelowicz, A., Ullman, J., Santos, M., & Kratzer, M. (2018). Towards decreasing the duration of untreated psychosis in a minority community: The case of US Latinos. In *Early Intervention in Psychiatry*, (Volume 12, pp. 13). Wiley.
21. Marshall, M., Lewis, S., Lockwood, A., Drake, R., Jones, P., & Croudace, T. (2005). Association between duration of untreated psychosis and outcome in cohorts of first-episode patients: A systematic review. *Archives of General Psychiatry*, 62(9), 975-983.
22. McGlashan, T., Walsh, B., & Woods, S. (2010). *The psychosis-risk syndrome: Handbook for diagnosis and follow-up*. Oxford University Press.
23. Metzl, J. M. (2010). *The protest psychosis: How schizophrenia became a black disease*. Beacon Press.

Third National Conference on
Advancing Early Psychosis Care in the United States
Addressing Inequities - Race, Culture, and COVID

24. Millman, Z. B., Rakhshan Rouhakhtar, P. J., DeVylder, J. E., Smith, M. E., Phalen, P. L., Woods, S. W., Walsh, B. C., Parham, B., Reeves, G. M., & Schiffman, J. (2019). Evidence for differential predictive performance of the prime screen between black and white help-seeking youths. *Psychiatric Services, 70*(10), 907-914.
25. Mukherjee, S., Shukla, S., Woodle, J., Rosen, A. M., & Olarte, S. (1983). Misdiagnosis of schizophrenia in bipolar patients: a multiethnic comparison. *The American Journal of Psychiatry, 140*(12), 1571-1574.
26. Novacek, D. M., LoPilato, A. M., Goines, K. B., Trotman, H. D., Compton, M. T., & Walker, E. F. (2019). Cultural considerations in the treatment of African American youth with attenuated psychosis syndromes: The importance of socio-contextual and clinical factors. In *Handbook of Attenuated Psychosis Syndrome Across Cultures* (pp. 199-218). Springer.
27. Oh, H. Y., Koyanagi, A., DeVylder, J. E., & Link, B. (2020). Urban upbringing and psychotic experiences in the United States: A racial and geographic comparison. *Psychiatry Research, 113*372.
28. Okuzawa, N., Kline, E., Fuertes, J., Negi, S., Reeves, G., Himelhoch, S., & Schiffman, J. (2014). Psychotherapy for adolescents and young adults at high risk for psychosis: a systematic review. *Early Intervention in Psychiatry, 8*(4), 307-322.
29. Phalen, P. L., Rouhakhtar, P. R., Millman, Z. B., Thompson, E., DeVylder, J., Mittal, V., Carter, E., Reeves, G., & Schiffman, J. (2018). Validity of a two-item screen for early psychosis. *Psychiatry Research, 270*, 861-868.
30. Rakhshan Rouhakhtar, P. J., Pitts, S. C., & Schiffman, J. (2019). Associations between race, discrimination, community violence, traumatic life events, and psychosis-like experiences in a sample of college students. *Journal of Clinical Medicine, 8*(10), 1573.
31. Simon, R. J., Fleiss, J. L., Gurland, B. J., Stiller, P. R., & Sharpe, L. (1973). Depression and schizophrenia in hospitalized black and white mental patients. *Archives of General Psychiatry, 28*(4), 509-512.
32. Smith, M. E., Sharpe, T. L., Richardson, J., Pahwa, R., Smith, D., & DeVylder, J. (2020). The impact of exposure to gun violence fatality on mental health outcomes in four urban US settings. *Social Science & Medicine, 246*, 112587.
33. Stokowy, J., Liu, L., Cadenhead, K. S., Cannon, T. D., Cornblatt, B. A., McGlashan, T. H., Perkins, D. O., Seidman, L. J., Tsuang, M. T., Walker, E. F., Woods, S. W., Bearden, C. E., Mathalon, D., H., & Addington, J. (2016). Early traumatic experiences, perceived discrimination and conversion to psychosis in those at clinical high risk for psychosis. *Social Psychiatry and Psychiatric Epidemiology, 51*(4), 497-503.
34. Strakowski, S. M., Flaum, M., Amador, X., Bracha, H. S., Pandurangi, A. K., Robinson, D., & Tohen, M. (1996). Racial differences in the diagnosis of psychosis. *Schizophrenia Research, 21*(2), 117-124.

Third National Conference on
Advancing Early Psychosis Care in the United States
Addressing Inequities - Race, Culture, and COVID

35. Strakowski, S. M., Keck, P. E., Arnold, L. M., Collins, J., Wilson, R. M., Fleck, D. E., Corey, K. B., Amicone, J., & Adebimpe, V. R. (2003). Ethnicity and diagnosis in patients with affective disorders. *The Journal of Clinical Psychiatry*, 64(7), 747-754.
36. Tervalon, M., & Murray-Garcia, J. (1998). Cultural humility versus cultural competence: A critical distinction in defining physician training outcomes in multicultural education. *Journal of Health Care for the Poor and Underserved*, 9(2), 117-125.
37. Thompson, E., Millman, Z. B., Okuzawa, N., Mittal, V., DeVylder, J., Skadberg, T., Buchanan, R. W., Reeves, G. M., & Schiffman, J. (2015). Evidence-based early interventions for individuals at clinical high risk for psychosis: a review of treatment components. *The Journal of Nervous and Mental Disease*, 203(5), 342-351.
38. Weisman, A., Duarte, E., Koneru, V., & Wasserman, S. (2006). The development of a culturally informed, family-focused treatment for schizophrenia. *Family Process*, 45(2), 171-186.
39. Wilson, C., Smith, M. E., Thompson, E., Demro, C., Kline, E., Bussell, K., Pitts, S. C., DeVylder, J., Reeves, G., & Schiffman, J. (2016). Context matters: The impact of neighborhood crime and paranoid symptoms on psychosis risk assessment. *Schizophrenia Research*, 171(1-3), 56-61.