

Third National Conference on  
**Advancing Early Psychosis Care in the United States**  
*Addressing Inequities - Race, Culture, and COVID*

## **The Setup: Pathways to Coordinated Specialty Care for Racial/Ethnic Minorities**

### **Session Bibliography**

1. Anderson, K.K., Fuhrer, R., & Malla, A.K. (2010). The pathways to mental health care of first-episode psychosis patients: a systematic review. *Psychological medicine*, 40(10), 1585-1597.
2. Alegría, M., Mulvaney-Day, N., Woo, M., Torres, M., Gao, S., & Oddo, V. (2007). Correlates of past-year mental health service use among Latinos: Results from the National Latino and Asian American Study. *American Journal of Public Health*, 97(1), 76-83.
3. Brook, J.S., & Pahl, K. (2005). The protective role of ethnic and racial identity and aspects of an Africentric orientation against drug use among African American young adults. *The Journal of genetic psychology*, 166(3), 329-345.
4. Brown, C., Conner, K.O., Copeland, V.C., Grote, N., Beach, S., Battista, D., & Reynolds, C.F. (2010). Depression stigma, race, and treatment seeking behavior and attitudes. *Journal of community psychology*, 38(3), 350-368.
5. Cabassa, L. J., Piscitelli, S., Haselden, M., Lee, R. J., Essock, S. M., & Dixon, L. B. (2018). Understanding Pathways to Care of Individuals Entering a Specialized Early Intervention Service for First-Episode Psychosis. *Psychiatric Serv*, 69(6), 648-656.
6. Calderon, V., Mejia, Y., Lara-Munoz, M. del C., Segoviano, J., Castro, Q., Casados, A., Lopez, S. R. (2015). Towards the sustainability of information campaigns: Training promotores to increase the psychosis literacy of Spanish-speaking communities. *Social Psychiatry and Psychiatric Epidemiology*, 50(4), 665-669.
7. Casas, R. N., Gonzales, E., Aldana-Aragon, E., Lara-Muñoz, M. del C., Kopelowicz, A., Andrews, L., & Lopez, S. R. (2014). Toward the early recognition of psychosis among Spanish-speaking adults on both sides of the US-Mexico border. *Psychological Services*, 11(4), 460-469.
8. Chong, S-A., Mythily, S., & Verma, S. (2005). Reducing the duration of untreated psychosis and changing help-seeking behavior in Singapore. *Social Psychiatry and Psychiatric Epidemiology*, 40, 619-621.

Third National Conference on  
**Advancing Early Psychosis Care in the United States**  
*Addressing Inequities - Race, Culture, and COVID*

9. Conus, P., Lambert, M., Cotton, S., Bonsack, C., McGorry, P.D., & Schimmelmann, B.G. (2010). Rate and predictors of service disengagement in an epidemiological first-episode psychosis cohort. *Schizophrenia research*, 118(1-3), 256-263.
10. Hernandez, M. Y., Mejia, Y., Mayer, D., & Lopez, S. R. (2016). Using a narrative film to increase knowledge and interpersonal communication about psychosis among Latinos. *Journal of Health Communication*, 21 (12), 1236–1243. Published online November 18.
11. López, S.R., Gamez, D., Mejia, Y., Calderon, V., Lopez, D., Ullman, J.B., & Kopelowicz, A. (2018). Psychosis Literacy Among Latinos With First-Episode Psychosis and Their Caregivers. *Psychiatric services (Washington, D.C.)*, 69(11), 1153-1159.
12. López, S.R., Lara, M.del C., Kopelowicz, A., Solano, S., Foncerrada, H., & Aguilera, A. (2009). La CLAve to increase psychosis literacy of Spanish-speaking community residents and family caregivers. *Journal of consulting and clinical psychology*, 77(4), 763-774.
13. Lopez, S. R., Kopelowicz, A., Ullman, J., Mayer, D., & Santos, M. M. (2020). Process and outcome of campaign to reduce the duration of untreated psychosis in a U.S. Latino community. Unpublished manuscript.
14. Melle, I., Larsen, T.K., Haahr, U., Friis, S., Johannessen, J.O., Opjordsmoen, S., ... & McGlashan, T. (2004). Reducing the duration of untreated first-episode psychosis: effects on clinical presentation. *Archives of general psychiatry*, 61(2), 143-150.
15. Mueser, K. T., DeTore, N. R., Kredlow, M. A., Bourgeois, M. L., Penn, D. L., & Hintz, K. (2020). Clinical and demographic correlates of stigma in first-episode psychosis: the impact of duration of untreated psychosis. *Acta Psychiatrica Scandinavica*, 141(2), 157-166.
16. Myers, N., Sood, A., Fox, K. E., Wright, G., & Compton, M. T. (2019). Decision making about pathways through care for racially and ethnically diverse young adults with early psychosis. *Psychiatric services*, 70(3), 184-190.
17. Oluwoye, O., Kriegel, L., Alcover, K.C., Compton, M.T., Cabassa, L.J., & McDonell, M.G. (2020). The impact of early family contact on quality of life among non-Hispanic Blacks and Whites in the RAISE-ETP trial. *Schizophrenia research*, 216, 523-525.
18. Oluwoye, O., Stiles, B., Monroe-DeVita, M., Chwastiak, L., McClellan, J.M., Dyck, D., ... & McDonell, M.G. (2018). Racial-Ethnic Disparities in First-Episode Psychosis Treatment Outcomes From the RAISE-ETP Study. *Psychiatric services (Washington, D.C.)*, 69(11), 1138-1145.

Third National Conference on  
**Advancing Early Psychosis Care in the United States**  
*Addressing Inequities - Race, Culture, and COVID*

19. Oluwoye, O., Stokes, B., Stiles, B., Monroe-DeVita, M., & McDonell, M.G. (2020). Understanding differences in family engagement and provider outreach in New Journeys: A coordinated specialty care program for first episode psychosis. *Psychiatry Research*, 291, 113286.
20. Thompson, R., Dancy, B.L., Wiley, T.R., Najdowski, C.J., Perry, S.P., Wallis, J., ... & Knafl, K.A. (2013). African American families' expectations and intentions for mental health services. *Administration and policy in mental health*, 40(5), 371-383.