

# DSM-5 Diagnoses and New ICD-10-CM Codes

*As Ordered in the DSM-5 Classification*

Disorder	DSM-5 Recommended ICD-10-CM Code for use through September 30, 2017	DSM-5 Recommended ICD-10-CM Code for use beginning October 1, 2017
Avoidant/Restrictive Food Intake Disorder	F50.89	F50.82
Alcohol Use Disorder, Mild	F10.10	F10.10
Alcohol Use Disorder, Mild, In early or sustained remission	F10.10	F10.11
Alcohol Use Disorder, Moderate	F10.20	F10.20
Alcohol Use Disorder, Moderate, In early or sustained remission	F10.20	F10.21
Alcohol Use Disorder, Severe	F10.20	F10.20
Alcohol Use Disorder, Severe, In early or sustained remission	F10.20	F10.21
Cannabis Use Disorder, Mild	F12.10	F12.10
Cannabis Use Disorder, Mild, In early or sustained remission	F12.10	F12.11
Cannabis Use Disorder, Moderate	F12.20	F12.20
Cannabis Use Disorder, Moderate, In early or sustained remission	F12.20	F12.21
Cannabis Use Disorder, Severe	F12.20	F12.20
Cannabis Use Disorder, Severe, In early or sustained remission	F12.20	F12.21
Phencyclidine Use Disorder, Mild	F16.10	F16.10
Phencyclidine Use Disorder, Mild, In early or sustained remission	F16.10	F16.11
Phencyclidine Use Disorder, Moderate	F16.20	F16.20
Phencyclidine Use Disorder, Moderate, In early or sustained remission	F16.20	F16.21
Phencyclidine Use Disorder, Severe	F16.20	F16.20
Phencyclidine Use Disorder, Severe, In early or sustained remission	F16.20	F16.21
Other Hallucinogen Use Disorder, Mild	F16.10	F16.10
Other Hallucinogen Use Disorder, Mild, In early or sustained remission	F16.10	F16.11
Other Hallucinogen Use Disorder, Moderate	F16.20	F16.20
Other Hallucinogen Use Disorder, Moderate, In early or sustained remission	F16.20	F16.21
Other Hallucinogen Use Disorder, Severe	F16.20	F16.20
Other Hallucinogen Use Disorder, Severe, In early or sustained remission	F16.20	F16.21
Inhalant Use Disorder, Mild	F18.10	F18.10
Inhalant Use Disorder, Mild, In early or sustained remission	F18.10	F18.11
Inhalant Use Disorder, Moderate	F18.20	F18.20
Inhalant Use Disorder, Moderate, In early or sustained remission	F18.20	F18.21
Inhalant Use Disorder, Severe	F18.20	F18.20

Inhalant Use Disorder, Severe, In early or sustained remission	F18.20	F18.21
Opioid Use Disorder, Mild	F11.10	F11.10
Opioid Use Disorder, Mild, In early or sustained remission	F11.10	F11.11
Opioid Use Disorder, Moderate	F11.20	F11.20
Opioid Use Disorder, Moderate, In early or sustained remission	F11.20	F11.21
Opioid Use Disorder, Severe	F11.20	F11.20
Opioid Use Disorder, Severe, In early or sustained remission	F11.20	F11.21
Sedative, Hypnotic, or Anxiolytic Use Disorder, Mild	F13.10	F13.10
Sedative, Hypnotic, or Anxiolytic Use Disorder, Mild, In early or sustained remission	F13.10	F13.11
Sedative, Hypnotic, or Anxiolytic Use Disorder, Moderate	F13.20	F13.20
Sedative, Hypnotic, or Anxiolytic Use Disorder, Moderate, In early or sustained remission	F13.20	F13.21
Sedative, Hypnotic, or Anxiolytic Use Disorder, Severe	F13.20	F13.20
Sedative, Hypnotic, or Anxiolytic Use Disorder, Severe, In early or sustained remission	F13.20	F13.21
Amphetamine-type Substance Use Disorder, Mild	F15.10	F15.10
Amphetamine-type Substance Use Disorder, Mild, In early or sustained remission	F15.10	F15.11
Amphetamine-type Substance Use Disorder, Moderate	F15.20	F15.20
Amphetamine-type Substance Use Disorder, Moderate, In early or sustained remission	F15.20	F15.21
Amphetamine-type Substance Use Disorder, Severe	F15.20	F15.20
Amphetamine-type Substance Use Disorder, Severe, In early or sustained remission	F15.20	F15.21
Cocaine Use Disorder, Mild	F14.10	F14.10
Cocaine Use Disorder, Mild, In early or sustained remission	F14.10	F14.11
Cocaine Use Disorder, Moderate	F14.20	F14.20
Cocaine Use Disorder, Moderate, In early or sustained remission	F14.20	F14.21
Cocaine Use Disorder, Severe	F14.20	F14.20
Cocaine Use Disorder, Severe, In early or sustained remission	F14.20	F14.21
Other or Unspecified Stimulant Use Disorder, Mild	F15.10	F15.10
Other or Unspecified Stimulant Use Disorder, Mild, In early or sustained remission	F15.10	F15.11
Other or Unspecified Stimulant Use Disorder, Moderate	F15.20	F15.20
Other or Unspecified Stimulant Use Disorder, Moderate, In early or sustained remission	F15.20	F15.21
Other or Unspecified Stimulant Use Disorder, Severe	F15.20	F15.20
Other or Unspecified Stimulant Use Disorder, Severe, In early or sustained remission	F15.20	F15.21
Tobacco Use Disorder, Moderate	F17.200	F17.200
Tobacco Use Disorder, Moderate, In early or sustained remission	F17.200	F17.201
Tobacco Use Disorder, Severe	F17.200	F17.200

Tobacco Use Disorder, Severe, In early or sustained remission	F17.200	F17.201
Other (or Unknown) Substance Use Disorder, Mild	F19.10	F19.10
Other (or Unknown) Substance Use Disorder, Mild, In early or sustained remission	F19.10	F19.11
Other (or Unknown) Substance Use Disorder, Moderate	F19.20	F19.20
Other (or Unknown) Substance Use Disorder, Moderate, In early or sustained remission	F19.20	F19.21
Other (or Unknown) Substance Use Disorder, Severe	F19.20	F19.20
Other (or Unknown) Substance Use Disorder, Severe, In early or sustained remission	F19.20	F19.21