CMS ID: PP6

NQF#: N/A

Source(s)

American Medical Association, American Academy of Neurology Institute and American Psychiatric Association (2016)

Measure Domain

Communication and Care Coordination: Process

Brief Abstract

Description

Percentage of patients with dementia or their caregivers with whom available guideline-appropriate pharmacological treatment options and nonpharmacological behavior and lifestyle modifications were discussed at least once in the last 12-month period.

Rationale

- Pharmacologic therapy to address symptomatic progression and occupational therapy to
 maximize function and safety are available and should be discussed with patients and their
 caregivers, with the goal of improving quality of life and delaying or preventing
 institutionalization (1-3).
- Guideline-adherent dementia interventions occurred in 33-91% of primary care practices according to a recent meta-analysis (4).

Evidence for Rationale

- 1. Hermann N, Lanctôt KL, Hogan DB. Pharmacological recommendations for the symptomatic treatment of dementia: The Canadian Consensus Conference on the Diagnosis and Treatment of Dementia 2012. Alzheimer's Research & Therapy 2013; 5(Suppl 1):S5
- 2. Sadowsky CH, Galvin JE. Guidelines for the management of cognitive and behavioral problems in dementia. JABFM 2012;25(3):350-366.
- 3. Sorbi S, Hort J, Erkinjuntti T, et al. EFNS-ENS Guidelines on the diagnosis and management of disorders associated with dementia. Eur J Neurol 2012;19(9):1159-1179.
- 4. Sivananthan S, Pyat JH, McGrail KM. Variations in Self-Reported Practice of Physicians Providing Clinical Care to Individuals with Dementia: A Systematic Review. J Am Geriatr Soc 2013;61:1277-1285
- American Academy of Neurology. "AAN Patient and Provider Shared Decision-making Tool. Dementia." 2015 3p. Available at:

CMS ID: PP6

NQF#: N/A

https://www.aan.com/uploadedFiles/Website_Library_Assets/Documents/3.Practice_Management/2.Quality_Improvement/1.Quality_Measures/15%20Dementia%20SDM%20v304.pdf.

Primary Health Components

Dementia; Older adults;

Denominator Description

All patients with dementia.

See the related "Denominator Inclusions/Exclusions" field.

Numerator Description

Patients with dementia or their caregivers with whom available guideline/appropriate pharmacological treatment options and nonpharmacological behavior and lifestyle modifications were discussed at least once in the last 12-month period.

See the related "Numerator Inclusions/Exclusions" field.

Evidence Supporting the Measure

Type of Evidence Supporting the Criterion of Quality for the Measure

A clinical practice guideline or other peer-reviewed synthesis of the clinical research evidence

Extent of Measure Testing

Not available

Refer to the references listed below for further information.

Evidence for Extent of Measure Testing

Not available

CMS ID: PP6

NQF #: N/A

Data Collection for the Measure

Case Finding Period

The measurement year

Denominator Sampling Frame

Patients associated with provider

Denominator (Index) Event or Characteristic

Encounter

Patient/Individual (Consumer) Characteristic

Denominator Inclusions/Exclusions/Exceptions

Inclusions

All patients with dementia*

AND documented with CPT Code:

- 99201, 99202, 99203, 99204, 99205 (Office or other outpatient visit-New Patient);
- 99211, 99212, 99213, 99214, 99215 (Office or other outpatient visit-Established Patient);
- 99241, 99242, 99243, 99244, 99245 (Office or Other Outpatient Consultation-New or Established Patient);
- 99201, 99202, 99203, 99204, 99205 (E/M Codes);
- 99211, 99212, 99213, 99214, 99215 (E/M Codes);
- 90791, 90792, 90832, 90833, 90834, 90836, 90837, 90838 (Psychiatric Diagnostic Evaluation and psychotherapy);
- 96116, 96118, 96119, 96120 (Neurobehavior status exam and neuropsychological testing);
- 96150, 96151, 96152, 96153, 96154, 96155 (Health and behavior assessment and interventions);
- 99490, 99487, 99489 (Complex Chronic Care Management);
- 99497, 99498 (Advance care planning);
- 97003, 97004 (Occupational therapy evaluation and re-evaluation);
- 97001, 97002 (Physical therapy evaluation and re-evaluation);
- 99304, 99305, 99306, 99307, 99308, 99309, 99310 (Nursing Home Consultation);
- 99318 (Other Nursing Facility Services);
- 99324, 99325, 99326, 99327, 99328, 99334, 99335, 99336, 99337 (Domiciliary, Rest Home Care Services);
- 99339, 99340 (Domiciliary, Rest Home Care Services Care Plan Oversight);
- 99341, 99342, 99343, 99344, 99345 (Home Care);

CMS ID: PP6

NQF #: N/A

• 99347, 99348, 99349, 99350 (Home Care).

*Note: ICD Diagnostic codes included on pages 4-6.

Exclusions Unspecified

Exceptions Unspecified

Numerator Inclusions/Exclusions

Inclusions

Patients with dementia or their caregivers with whom available guideline/appropriate pharmacological treatment options and nonpharmacological behavior and lifestyle modifications were discussed and documented in the medical record at least once in the last 12-month period.

Exclusions Unspecified

Computation of the Measure

Scoring

Rate/Proportion

Interpretation of Score

Desired value is a higher score

Risk Adjustment

No

NOTES

ICD Diagnostic codes for Dementia

ICD 9

290.0 Senile dementia, uncomplicated

290.10 Presenile dementia, uncomplicated

CMS ID: PP6

NQF #: N/A

ICD Diagnostic codes for Dementia

290.12 Presenile dementia with delusional features

290.13 Presenile dementia with depressive features

290.20 Senile dementia with delusional or depressive features

290.21 Senile dementia with delusional features

290.40 Vascular dementia, uncomplicated (Use additional code to identify cerebral atherosclerosis (437.0) or other condition resulting in this diagnosis)

290.42 Vascular dementia with delusions (Use additional code to identify cerebral atherosclerosis (437.0) or other condition resulting in this diagnosis

290.43 Vascular dementia with depressed mood (Use additional code to identify cerebral atherosclerosis (437.0) or other condition resulting in this diagnosis

291.2 Alcohol-induced persisting dementia

294.10 Dementia in conditions classified elsewhere without behavioral disturbance (Code first the underlying condition)

294.11 Dementia in conditions classified elsewhere with behavioral disturbance (Code first the underlying condition)

294.20 Dementia, unspecified, without behavioral disturbance Dementia, not otherwise specified

294.21 Dementia, unspecified, with behavioral disturbance

331.0 Alzheimer's disease (Use additional code, where applicable, to identify dementia: with behavioral disturbance (294.11) without behavioral disturbance (294.10))

331.11 Pick's disease

331.19 Other frontotemporal dementia

331.6 Corticobasal degeneration

331.7 Cerebral degeneration in diseases classified elsewhere (Code first underlying disease)

331.82 Dementia with Lewy bodies

331.89 Other cerebral degeneration, Other (Corticobasal degeneration) (dementia in)

332.0 Parkinson's disease (Use additional code to identify dementia, if present, from 294.10 to 294.11)

042 Human immunodeficiency virus [HIV] disease Use additional code(s) to identify all manifestations (Use additional code to identify HIV-2 infection (079.53))

094.1 Neurosyphilis, General Paresis Dementia Paralytica (Use additional code to identify associated mental disorder)

046.11 Variant Creutzfeld-Jacob disease vCJD (Use additional code to identify dementia: with behavioral disturbance (294.11) without behavioral disturbance (294.12)

046.19 Other and unspecified Creutzfeld-Jacob disease CJD Familial Creutzfeldt-Jacob disease latrogenic Creutzfeldt-Jacob disease Sporadic Creutzfeldt-Jacob disease Subacute spongioform encephalopathy (Use additional code to identify dementia: with behavioral disturbance (294.11) without behavioral disturbance (294.12))

ICD 10

F03.90 Unspecified dementia without behavioral disturbance Includes: presenile dementia NO presenile psychosis NOS primary degenerative dementia NOS senile dementia NOS senile dementia depressed or paranoid type senile psychosis NOS Excludes1: senility NOS (R41.81) Excludes2: mild memory disturbance due to known physiological condition senile dementia with delirium or acute confusional state (F05)

CMS ID: PP6

NQF #: N/A

ICD Diagnostic codes for Dementia

F03.90 Unspecified dementia without behavioral disturbance Includes: presenile dementia NOS presenile psychosis NOS primary degenerative dementia NOS senile dementia NOS senile dementia depressed or paranoid type senile psychosis NOS Excludes1: senility NOS (R41.81) Excludes2: mild memory disturbance due to known physiological condition senile dementia with delirium or acute confusional state (F05)

F03.90 Unspecified dementia without behavioral disturbance Includes: presenile dementia NOS presenile psychosis NOS primary degenerative dementia NOS senile dementia NOS senile dementia depressed or paranoid type senile psychosis NOS Excludes1: senility NOS (R41.81) Excludes2: mild memory disturbance due to known physiological condition senile dementia with delirium or acute confusional state (F05)

F05 Delirium due to known physiological condition Acute or subacute brain syndrome Acute or subacute confusional state (nonalcoholic) Acute or subacute infective psychosis Acute or subacute psycho-organic syndrome Delirium of mixed etiology Delirium superimposed on dementia Sundowning Code first the underlying physiological condition Excludes1: delirium NOS Excludes2: delirium tremens alcohol-induced or unspecified (F10.231, F10.921)

F03.90 Unspecified dementia without behavioral disturbance Includes: presenile dementia NOS presenile psychosis NOS primary degenerative dementia NOS senile dementia NOS senile dementia depressed or paranoid type senile psychosis NOS Excludes1: senility NOS (R41.81) Excludes2: mild memory disturbance due to known physiological condition senile dementia with delirium or acute confusional state (F05)

F03.90 Unspecified dementia without behavioral disturbance Includes: presenile dementia NOS presenile psychosis NOS primary degenerative dementia NOS senile dementia NOS senile dementia depressed or paranoid type senile psychosis NOS Excludes1: senility NOS (R41.81) Excludes2: mild memory disturbance due to known physiological condition senile dementia with delirium or acute confusional state (F05)

F05 Delirium due to known physiological condition Acute or subacute brain syndrome Acute or subacute confusional state (nonalcoholic) Acute or subacute infective psychosis Acute or subacute psycho-organic syndrome Delirium of mixed etiology Delirium superimposed on dementia Sundowning Code first the underlying physiological condition Excludes1: delirium NOS Excludes2: delirium tremens alcohol-induced or unspecified (F10.231, F10.921)

F03.90 Unspecified dementia without behavioral disturbance Includes: presenile dementia NOS presenile psychosis NOS primary degenerative dementia NOS senile dementia NOS senile dementia depressed or paranoid type senile psychosis NOS Excludes1: senility NOS (R41.81) Excludes2: mild memory disturbance due to known physiological condition senile dementia with delirium or acute confusional state (F05)

F01.50 Vascular dementia without behavioral disturbance Includes: arteriosclerotic dementia Code first the underlying physiological condition or sequelae of cerebrovascular disease

F01.51 Vascular Dementia with behavioral disturbance Vascular dementia with aggressive behavior Vascular dementia with combative behavior Vascular dementia with violent behavior Includes: arteriosclerotic dementia Code first the underlying physiological condition or sequelae of cerebrovascular disease

F10.27 Alcohol dependence with alcohol-induced persisting dementia

F02.80 Dementia in other diseases classified elsewhere, without behavioral disturbance Dementia in other diseases classified elsewhere not otherwise specified Code first the underlying physiologic condition

F02.81 Dementia in other diseases classified elsewhere, with behavioral disturbance Dementia in other diseases classified elsewhere with aggressive behavior Dementia in other diseases classified elsewhere with combative behavior Dementia in other diseases classified elsewhere with violent behavior Code first the underlying physiologic condition

F03.90 Unspecified dementia without behavioral disturbance Includes: presenile dementia NOS presenile psychosis NOS primary degenerative dementia NOS senile dementia NOS senile dementia depressed or paranoid type senile psychosis NOS Excludes1: senility NOS (R41.81) Excludes2: mild memory disturbance due to known physiological condition senile dementia with delirium or acute confusional state (F05)

CMS ID: PP6

NQF#: N/A

ICD Diagnostic codes for Dementia

F03.91 Unspecified dementia with behavioral disturbance Unspecified dementia with aggressive behavior Unspecified dementia with combative behavior Unspecified dementia with violent behavior

G30.0 Alzheimer's disease with early onset

G30.1 Alzheimer's disease with late onset

G30.8 Other Alzheimer's disease

G30.9 Alzheimer's disease, unspecified Use additional code to identify: delirium, if applicable (F05) dementia with behavioral disturbance (F02.81) dementia without behavioral disturbance (F02.80)

G31.01 Pick's disease Circumscribed brain atrophy Progressive isolated aphasia Use additional code to identify: delirium, if applicable (F05) dementia with behavioral disturbance (F02.81) dementia without behavioral disturbance (F02.80)

G31.09 Other frontotemporal dementia

G31.85 Corticobasal degeneration

G94 Other disorders of brain in diseases classified elsewhere Code first underlying disease

G31.83 Dementia with Lewy bodies Dementia with Parkinsonism Lewy body dementia Lewy body disease

G20 Parkinson's disease

F02 Dementia in other diseases classified elsewhere

G31.89 Other specified degenerative diseases of nervous system

B20 Human immunodeficiency virus [HIV] disease Use additional code(s) to identify all manifestations of HIV infection

A52.17 General paresis Dementia paralytica

A81.00 Creutzfeldt-Jacob disease, unspecified

A81.01 Variant Creutzfeldt-Jacob disease vCJD

A81.89 Other Creutzfeldt-Jacob disease CJD Familial Creutzfeldt-Jacob disease latrogenic Creutzfeldt-Jacob disease Sporadic Creutzfeldt-Jacob disease Subacute spongioform encephalopathy (with dementia)